



Republic of Rwanda
Ministry of Health

rbc Rwanda
Biomedical
Centre
Healthy People, Wealthy Nation

WEEKLY EPIDEMIOLOGICAL BULLETIN

WEEK **40** 28 September – 4 October 2026





Editorial message

Effective and efficient disease surveillance systems contribute to the reduction of morbidity, disability and mortality from disease outbreaks and health emergencies.

This weekly bulletin presents the epidemiological status of the priority diseases, conditions, and public-health events under surveillance in Rwanda. These data aim to trigger a rapid response for rapid impact, actions and results oriented, a proactive preparedness, risk mitigation and prevention, intelligence, real-time information, and communication for decision making.

KEY EPIDEMIOLOGICAL HIGHLIGHTS



Event Based Surveillance (EBS) Highlights:



Alerts from Impuruza system:
No signal was notified.

Alerts from EIOS:
2 alerts


1.Nepal - Scrub typhus cases increasing in Sankhuwasabha

2.Kenya -Report of first Ebola death

UMUJYANAMA W'UBUZIMA
MINISITERI Y'UBUZIMA
rbc RWANDA
BIOMEDICAL
CENTER
Healthy People. A Wealthy Nation



Indicator Based Surveillance (IBS) Highlights:



261 cases of immediately reportable diseases were notified by **91** health facilities nationwide. These included cases of acute flaccid paralysis, severe malaria, suspected shigellosis, suspected measles/rubella, chicken pox, suspected cholera, suspected VHF, suspected RVF, suspected foodborne illness, and snake bites.



59 deaths were reported by **18** health facilities through the electronic Integrated Disease Surveillance and Response (eIDSR) system. Most deaths were perinatal deaths and deaths of children under 5 years.



Outbreaks and events updates in week 40



Weekly updates on ongoing outbreaks:

Ongoing outbreaks:

- ⚠️ Measles outbreaks in different districts of Rwanda
- ⚠️ Cholera outbreak in Rusizi district

New outbreak:

- ⚠️ Suspected foodborne illnesses in Burera and Gisagara districts
- ⚠️ Updates on Ebola Virus Disease outbreak preparedness in Rwanda



Completeness and timeliness



In Epi Week 40, the overall completeness and timeliness of surveillance data reporting in Rwanda were 99% and 97%, respectively.





Weekly updates on Event Based Surveillance (EBS)

Description: Event-Based Surveillance (EBS) is a type of public health surveillance system that detects and reports unusual health events or disease outbreaks in a timely manner. The system is designed to detect signals of potential public health threats and allow a rapid response to prevent or control the spread of diseases. RBC is implementing EBS through the PHS&EPR Division.

Currently, an electronic Community Event-Based Surveillance System (eCBS), Hotline and Epidemic Intelligence from Open Source (EIOS) are being used to detect and report events of public health importance from the community and media. The process for the establishment of other types of EBS is still ongoing.

Alerts from Impuruza system: No signal was notified

Alerts from EIOS: 2 alerts

1.Nepal - Scrub typhus cases increasing in Sankhuwasabha

560 scrub typhus cases were reported in Sankhuwasabha District over the past three months. The district currently ranks first in Koshi Province and third nationally for scrub typhus infections. Sabhapokhari Rural Municipality recorded the highest number, with 110 cases. No deaths have been reported so far, but health authorities consider the risk high, particularly during and after the monsoon season. EIOS-Feed-Item-Report-2026-10-0...

<https://gphin.canada.ca/cepr/showarticle.jsp?docId=1022508985>

2.Kenya -Report of first Ebola death

A Swahili-language media item reports that Kenya recorded one Ebola-related death and raises concern about the potential Ebola threat within the East African Community (EAC). However, the EIOS export contains only a short and poorly transcribed audio segment and does not provide sufficient epidemiological details or official confirmation. This should therefore be classified as an unverified signal requiring immediate verification, rather than a confirmed Ebola event.

https://unite-wave-v2-audio-clips-prod.s3.amazonaws.com/merged/segment_127612_e6804abded43b4e43311dffa.mp3



WEEKLY UPDATES ON EVENT-BASED SURVEILLANCE (EBS)

Description: Rwanda had implemented Indicator-Based Surveillance according to the IDSR guidelines 3rd edition where 45 priority diseases, health conditions, and public health events are being monitored and reported from health facilities countrywide on a regular basis.

Diseases that are prone to outbreaks are reported immediately within 24 hours after detection, while diseases that are considered endemic are reported on a weekly basis every Monday before midday.

A. IMMEDIATE REPORTABLE DISEASES - EPI WEEK 40

During this Epi week,

261 cases of immediately reportable diseases were notified by 91 health facilities:



83 suspected cases of Measles/Rubella were reported by 42 health facilities



24 cases of severe malaria were reported by 13 health facilities.



11 snake bites cases were reported by 10 health facilities.



4 cases of acute flaccid paralysis were reported by 4 health facilities



73 suspected cases of cholera were reported by 14 health facilities



41 suspected cases of foodborne illness were reported by 5 health facilities



2 suspected cases of RVF were reported by 1 health facility; the sample was taken and sent to the laboratory




7 suspected cases of VHF were reported by 5 health facilities; the samples were taken and sent to the laboratory



8 suspected cases of shigellosis were reported by 4 health facilities; the samples were taken and sent to the laboratory



1 case of chicken pox was reported by 1 health facility; the sample was taken and sent to the laboratory






B. WEEKLY REPORTABLE DISEASES - EPI WEEK 40




In Rwanda, after the adaptation of the IDSR guidelines 3rd edition, eight diseases events are being reported and analyzed on a weekly basis. These include flu syndrome, simple malaria, severe pneumonia for under 5 years, non-bloody diarrhea for under 5 years, COVID-19, dog bites, brucellosis, and trypanosomiasis. The monitoring trends of these weekly reportable diseases or health events helps to detect an unusual increase early.

In Epi Week 40, a thorough analysis was conducted, comparing the number of reported cases of the diseases monitored on a weekly basis to their respective epidemic thresholds. The results revealed that no disease cases surpassed the epidemic thresholds.

The figures below show the weekly reportable diseases trends:



The figures below show the weekly reportable diseases trends:






C. DISTRIBUTION OF REPORTED DEATHS IN eIDSR

As summarized in the Pie Chart below, a total of 59 deaths were reported through the electronic Integrated Disease Surveillance and Response (eIDSR) system. Among these deaths:

- 33 (56%) were perinatal deaths
- 19 (32%) were deaths of children under 5 years old, including 1 death due to severe pneumonia
- 6 (10%) were maternal deaths
- 1(2%) was a death due to Human Rabies

Type of deaths reported in week 40 /2026



Distribution of deaths by health facilities

59 deaths were reported from 18 health facilities as follows:



11 deaths were reported by Gisenyi DH (9 perinatal deaths and 2 deaths under 5 years)



7 deaths were reported by CHUB (2maternal deaths, 3 perinatal deaths and 2 deaths under 5 years)



6 deaths were reported by CHUK (4 perinatal deaths and 2 deaths under 5 years)



5 deaths were reported by Nyagatare DH (1maternal death and 4 perinatal deaths)



4 deaths were reported by each of the following health facilities:

- Masaka DH (2 perinatal deaths and 2 deaths under 5 years)
- Muhororo DH (1maternal death and 3 perinatal deaths)



3 deaths were reported by each of the following health facilities:

- Kiziguro DH (2perinatal deaths and 1death under 5 years)
- Ruhengeri RH (3 deaths under 5 years)
- Rwanda Military Hospital (1perinatal death and 2deaths under 5 years)



2 deaths were reported by each of the following health facilities:


- Kibirizi DH, Murunda DH and Nemba DH (2perinatal deaths)
- Kibuye RH (1maternal death and 1death under 5 years)



1 death was reported by each of the following health facilities:

- Butaro DH (1maternal death)
- Gakoma DH (1perinatal death)
- Kigeme DH and Rutongo DH (1death under 5 years)
- Gatunda DH (1death due to human rabies)

Distribution of deaths by health facilities:



OUTBREAK AND EVENT UPDATES IN EPIDEMIOLOGICAL WEEK 40

1. Ongoing outbreaks

1.1 Measles outbreaks in different provinces

For the current situation, as of 4th October 2026, it was as follows:

83 suspected cases were reported in 42 health facilities and distributed across 4 provinces and the City of Kigali



Actions taken

- Isolation and clinical management of identified cases
- Outbreak investigations had been carried out in these different areas affected
- Risk communication and community awareness
- Active case searching
- Vaccination

1.2 Cholera outbreak in Rusizi district

The current situation of the ongoing Cholera outbreak in Rusizi district, as of 4th October 2026, was as follows:

349	Cumulative suspected cases
10	New suspected this week
8	Confirmed cases (lab culture)
339	Confirmed cases Epilink
13	Cases under follow up

2. New outbreak occurred in week 40

2.1 Suspected foodborne illness in Burera district

On 30/09/2026 and 01/10/2026 Kinyababa HC received the patients with diarrhea and vomiting after drinking home-brewed banana beer (Urwagwa) brewed at one household and shared by a family group at home (no ceremony). They were residents from Murambo Village, Musasa Cell, Kinyababa Sector, Burera District, Northern Province.

Among 16 people who drank the beer, 11 have reached the HC (6 men, 5 women) including 1 death on arrival. The age groups under 5 years: 1, 5 to 18 years: 1 (the death) and over 18 years: 9; Attack rate: 68.8%, Case fatality rate: 9.1%.

2.2 Suspected Foodborne Illness in Gisagara District

A suspected foodborne illness was reported at EP Mukiza in Mukindo Sector, Gisagara District, a school with a total of 1,250 students. A total of 14 pupils were affected, including 13 females (92.9%) and 1 male (7.1%), giving an AR of 1.12%. The affected pupils were from P4 C (9 pupils), P4 D (3 pupils), and P4 E (2 pupils). All 14 pupils developed abdominal pain after consuming a meal consisting of Kawunga, beans, and vegetables.

All affected pupils were taken to Kibayi Health Centre for medical care and received supportive management. A medical team from Kibirizi Hospital also visited Kibayi Health Centre to assess and support the affected pupils. Currently, all 14 pupils were in good condition, with no other significant symptoms or complications reported. The pupils were kept overnight at Kibayi Health Centre for continued observation and monitoring and were discharged one day after admission.



Actions taken

- Distributed ORS and Zinc supplies in Bugarama
- Carried out door-to-door outreach in Gihundwe and Bugarama
- Conducted Mentorship on IPC to healthcare providers at Bugarama Health center



Recommendations:

- Continue door to door activities
- Enhance Community sensitization



Actions taken

- Case management: all cases managed at Kinyababa HC. None referred to hospital.
- Lab: stool exam showed white and red blood cells.
- Health education in the community for stop drinking the remaining brew, and improve hygiene



Actions taken

- Case management
- Health education on food hygiene

3. Updates on Ebola Virus Disease outbreak preparedness in Rwanda

The activities related to preparedness to respond to a possible Ebola outbreak in Western Province remained ongoing, as the Ebola Virus Disease (EVD) outbreak is currently ongoing in the neighboring country of DRC. In Western Province, the Alert mode is ongoing; EVD preparedness activities were intensified, with RBC staff who were deployed to support two functioning provincial command posts currently activated, sitting in Rubavu and Rusizi districts since week 21 (from 17/05/2026) as of this week.



eIDSR REPORTS COMPLETENESS & TIMELINESS

In Rwanda, eIDSR reports completeness and timeliness are scored as follows:

Greater or equal to 80%: High,

Between 60% and 79%: Moderate,

Less than 60%: Low.

In Epi Week 40, the overall completeness and timeliness of disease surveillance data reporting in Rwanda were 99% and 97%, respectively. All hospitals achieved high scores above 80% for completeness. For timeliness, two hospitals had low scores (CHUK and CARAES Ndera).

The hospitals that had a low score for timeliness were recommended to submit the weekly reports on time, every Monday before 12:00.



Detailed completeness and timeliness performance for all health facilities are presented in the figures below.

Details on completeness and timeliness for all health facilities are shown in the figures below.

Completeness 2026																																									
Hospital catchment area	W01	W02	W03	W04	W05	W06	W07	W08	W09	W10	W11	W12	W13	W14	W15	W16	W17	W18	W19	W20	W21	W22	W23	W24	W25	W26	W27	W28	W29	W30	W31	W32	W33	W34	W35	W37	W38	W39	W40		
Nyagatare	100	93	100	100	100	100	100	93	100	100	100	100	100	100	100	93	93	100	100	86	93	100	100	100	100	100	100	100	93	93	100	93	100	100	100	93	93	100	100		
Gatunda	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	89	100	100	100	100	
Ngarama	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	88	100	100	100	100	88	75	88	88	100	100	88	88	88		
Kiziguro	100	100	100	100	100	100	100	100	100	100	100	100	100	100	92	92	100	92	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Gahini	75	88	100	88	100	100	100	100	88	100	100	100	100	100	100	88	100	100	88	100	100	100	100	100	100	88	100	100	100	100	100	88	100	88	100	100	100	100	100	100	
Rwinkwavu	100	89	89	100	100	100	89	100	100	100	100	100	100	100	89	100	100	100	89	78	100	89	100	100	89	100	100	100	100	100	100	100	100	89	100	100	89	100	100	100	
Kibungo	100	94	94	100	100	100	100	100	100	100	94	100	88	88	94	94	88	88	94	100	100	94	94	88	82	88	100	94	100	100	100	94	82	88	88	94	94	100	100	100	
Kirehe	100	95	100	100	100	100	100	100	100	100	100	100	95	95	100	100	100	100	100	100	100	95	90	95	100	100	100	100	100	100	100	100	100	100	100	100	100	95	95	100	
Rwamagana	100	100	100	89	89	94	94	100	94	94	89	94	89	89	89	94	100	94	89	94	83	89	83	94	72	89	83	89	94	94	100	100	100	100	100	89	89	100	100	100	
Nyamata	100	100	100	100	100	100	100	100	100	100	100	94	88	94	94	100	94	100	94	100	88	100	100	100	100	100	100	94	100	94	94	88	100	100	100	94	100	94	100	94	
Kinihira	100	100	100	100	100	100	100	100	100	100	100	89	100	89	89	100	100	100	100	100	89	100	89	100	100	100	100	100	100	89	100	100	100	100	89	100	100	100	100	100	
Rutongo	100	100	100	100	100	100	100	100	100	100	100	100	100	100	93	100	100	100	93	100	100	93	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Gatonde	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	86	86	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Butaro	100	95	100	100	100	100	100	100	100	100	100	90	100	95	100	95	100	90	100	95	90	85	90	85	90	85	90	95	90	100	95	85	100	90	85	95	95	100	100	95	
Ruli	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	89	100	100	100	89	100	78	78	89	78	100	100	100	89	100	100	100	100	100	100	100	100	100	100	100
Nemba	100	100	100	100	90	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Ruhengeri	94	94	100	100	94	83	100	100	100	94	100	83	100	83	100	61	100	100	94	100	100	100	94	94	100	100	100	94	100	100	94	100	94	100	100	94	100	100	100	100	
Byumba	100	92	100	96	100	100	96	100	100	96	100	100	96	100	100	100	100	100	100	100	100	96	96	96	96	96	92	92	100	100	100	96	100	100	100	100	100	100	100	96	
CHUB	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Kabutare	100	100	100	100	100	100	100	100	100	100	100	100	95	100	95	100	95	100	95	95	95	95	95	100	100	100	100	100	100	95	95	100	100	100	100	100	100	100	100	100	
Kabgayi	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	92	92	92	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Kibizi	100	100	91	100	100	91	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Gakoma	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	83	100	100	100	100	100	100	83	100	100	100	100	100	100	100	
Gitwe	100	100	100	100	89	100	100	89	100	89	100	100	89	100	100	100	100	100	100	100	100	100	100	100	100	100	89	100	100	100	100	100	78	100	100	100	100	100	100	100	
Ruhango	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Remera Rukoma	100	100	100	100	100	100	100	100	93	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	93	100	93	100	93	100	100	100	100	100	100	100	100	100	
Nyanza	100	100	100	100	100	95	95	100	100	100	100	95	100	95	100	100	100	100	84	95	100	95	100	95	100	100	95	100	100	95	95	100	95	95	100	100	100	100	100	100	100
Kigeme	100	100	100	100	100	100	100	100	100	100	92	100	100	100	100	100	100	100	100	100	92	100	77	92	100	100	92	100	100	100	100	92	100	100	100	100	100	100	100	100	100
Kaduha	100	100	100	100	100	100	100	90	100	100	100	100	100	100	100	100	100	100	100	100	90	100	90	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Munini	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Bushenge	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Kibogora	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	93	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Kibuye	100	100	100	100	100	100	100	100	100	100	92	100	100	100	100	100	100	100	100	100	100	100	100	100	92	100	100	100	100	100	100	100	92	100	100	100	100	100	100	100	
Kinnda	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	83	100	100	100	100	100	100	100	100	100	100	100	100		
Mugonero	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Shyira	100	94	100	100	100	100	100	100	100	100	100	94	100	100	100	94	94	94	100	100	100	100	100	100	100	100	100	100	100	94	100	100	100	100	100	100	89	100	100		
Muhororo	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
Kabaya	100	100</																																							

Details on completeness and timeliness for all health facilities are shown in the figures below.

Timeliness 2026																																								
Hospital catchment area	W01	W02	W03	W04	W05	W06	W07	W08	W09	W10	W11	W12	W13	W14	W15	W16	W17	W18	W19	W20	W21	W22	W23	W24	W25	W26	W27	W28	W29	W30	W31	W32	W33	W34	W35	W37	W38	W39	W40	
Nyagatare	93	86	100	93	86	100	100	93	100	100	100	100	100	100	100	86	93	100	100	86	93	100	93	100	100	100	100	100	93	93	100	86	100	100	100	93	93	93	93	
Gatunda	100	100	89	100	100	100	89	100	100	100	100	100	100	89	100	100	100	100	100	100	100	100	100	100	100	100	89	100	100	100	100	100	78	100	89	100	100	100	100	
Ngarama	100	88	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	88	100	100	100	100	88	75	88	88	100	100	88	88	88	
Kiziguro	100	100	100	100	100	100	100	100	100	100	100	100	92	100	92	92	100	92	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Gahini	75	88	100	88	88	75	88	100	75	100	100	100	88	63	88	88	100	88	100	88	100	100	100	100	75	100	88	100	100	100	100	88	100	88	100	100	100	100	100	100
Rwinkwavu	89	89	89	100	78	100	89	78	100	100	78	89	100	78	78	100	100	100	89	78	100	78	89	100	89	100	89	100	100	100	100	100	89	89	100	89	89	100	100	100
Kibungo	100	94	94	100	100	100	100	100	100	100	100	94	94	88	88	94	94	82	88	88	94	100	94	88	88	82	100	94	88	100	100	100	94	82	88	88	94	94	94	94
Kirehe	100	95	100	100	100	90	100	100	100	100	100	100	100	95	95	100	100	100	100	100	100	100	95	90	95	100	100	100	100	100	100	100	100	100	100	100	100	100	100	95
Rwamagana	100	100	100	83	83	89	94	100	89	94	100	94	72	89	89	94	94	83	89	94	78	89	83	94	72	83	83	89	94	94	100	100	100	100	94	89	89	89	89	100
Nyamata	100	100	100	94	100	100	100	100	100	100	100	100	82	71	76	94	100	76	94	88	100	88	88	94	100	100	94	100	94	100	94	88	82	100	100	100	94	100	100	
Kirihira	100	100	100	100	100	100	100	100	100	100	100	100	89	89	100	89	100	89	100	100	89	100	89	100	89	100	89	100	89	100	89	100	89	100	89	100	100	100	100	100
Rutongo	100	100	100	100	93	100	100	100	100	100	93	100	100	100	89	100	93	100	100	87	93	100	93	93	93	100	100	93	100	100	100	100	100	100	100	100	100	100	100	100
Gatonde	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	86	86	100	100	100	100	100	100	100	100	100	100	100	100	100
Butaro	95	90	100	100	90	100	85	100	95	100	90	95	85	95	95	95	90	95	90	95	90	90	80	90	85	85	80	90	100	85	100	90	75	80	80	90	90	90	90	
Ruli	100	100	100	100	100	100	100	100	100	100	100	100	89	89	100	100	100	89	100	100	100	89	89	78	78	89	78	89	100	89	89	100	100	89	89	89	89	100	100	100
Nemba	100	90	100	100	80	100	100	100	100	100	100	100	100	90	90	100	100	90	100	100	100	100	100	100	100	100	90	100	100	90	100	100	100	100	100	100	90	90	100	
Ruhengeri	94	94	100	100	94	83	100	94	83	94	100	83	83	78	100	56	94	94	94	100	94	94	100	94	94	100	100	100	94	100	100	89	89	89	89	100	94	94	94	100
Byumba	100	88	100	96	96	96	100	96	100	100	96	100	96	92	100	100	92	100	96	96	100	100	92	96	92	92	88	92	100	100	100	96	96	96	96	100	100	100	96	
CHUB	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Kabutare	100	100	100	100	100	100	100	100	95	100	100	100	100	95	93	95	100	89	95	89	95	95	100	95	100	95	100	100	100	95	95	95	100	89	100	100	100	100	100	
Kabagayi	100	100	100	100	100	100	100	100	100	100	100	100	92	100	100	100	100	100	100	100	92	100	100	100	100	92	92	100	100	100	100	92	100	100	100	100	100	100	100	
Kibizi	100	100	91	100	100	91	100	100	100	100	91	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Gakoma	100	100	100	100	100	83	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	83	100	83	83	83	100	100	100	100	83	100	100	100	100	100	100	100
Gitwe	100	100	100	100	78	89	100	89	100	89	100	100	100	56	94	56	100	89	100	100	100	100	100	100	100	100	100	78	100	100	89	100	89	78	100	100	89	100	100	89
Ruhango	100	100	100	100	100	100	100	100	100	100	100	100	100	100	94	100	100	100	100	100	100	100	100	88	100	100	100	100	100	100	100	88	100	100	100	88	100	100	100	100
Remera Rukoma	93	100	93	93	100	100	100	100	93	100	100	87	100	80	100	100	100	100	100	100	100	100	100	100	100	100	87	100	87	93	93	100	93	100	93	100	100	100	100	
Nyanza	100	100	100	95	89	95	95	100	100	100	95	95	100	89	100	95	95	95	79	95	100	95	100	95	95	100	95	100	95	100	95	95	100	100	100	100	95	95	100	100
Kigeme	100	100	100	100	92	100	100	92	100	100	85	100	100	92	100	100	100	100	92	100	92	100	77	92	100	100	85	100	100	100	100	100	92	100	100	100	100	100	100	100
Kaduha	100	90	100	100	100	100	100	90	90	100	100	100	100	100	100	100	70	100	100	100	100	90	100	90	100	100	100	100	100	100	100	100	90	100	90	100	100	100	100	
Murini	100	100	88	100	100	100	100	100	100	100	94	100	100	94	100	95	100	100	100	100	100	100	100	100	100	100	100	100	100	94	100	100	88	100	94	100	100	100	100	
Bushenge	100	88	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	88	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Kibogora	100	100	93	100	100	100	100	100	100	100	100	100	100	86	100	100	100	100	93	100	100	100	100																	